


NEWS | JULY 24, 2014

Parched West Is Using Up Underground Water: NASA/UCI



Surface-water depletion in the Colorado River Basin has left this "bathtub ring" of mineral deposits on Lake Mead, but groundwater loss is invisible. Image credit: U.S. Bureau of Reclamation

> Larger image

A new study by NASA and University of California, Irvine, scientists finds more than 75 percent of the water loss in the drought-stricken Colorado River Basin since late 2004 came from underground resources. The extent of groundwater loss may pose a greater threat to the water supply of the western United States than previously thought.

This study is the first to quantify the amount that groundwater contributes to the water needs of western states. According to the U.S. Bureau of Reclamation, the federal water management agency, the basin has been suffering from prolonged, severe drought since 2000 and has experienced the driest 14-year period in the last hundred years.

Popular

Researchers Advance 'Quantum Teleportation'

NASA Saucer Named 'Best of What's New'

Second Time Through, Mars Rover Examines Chosen Rocks

NASA Issues 'Remastered' View of Jupiter's Moon Europa

Geologic Maps of Vesta from NASA's Dawn Mission Published

New Map Shows Frequency of Small Asteroid Impacts, Provides Clues on Larger Asteroid Population The research team used data from NASA's Gravity Recovery and Climate Experiment (GRACE) satellite mission to track changes in the mass of the Colorado River Basin, which are related to changes in water amount on and below the surface. Monthly measurements in the change in water mass from December 2004 to November 2013 revealed the basin lost nearly 53 million acre feet (65 cubic kilometers) of freshwater. That's almost double the volume of the nation's largest reservoir, Nevada's Lake Mead. More than three-quarters of the total -- about 41 million acre feet (50 cubic kilometers) -- was from groundwater.

"We don't know exactly how much groundwater we have left, so we don't know when we're going to run out," said Stephanie Castle, a water resources specialist at the University of California, Irvine, and the study's lead author. "This is a lot of water to lose. We thought that the picture could be pretty bad, but this was shocking."

Water above ground in the basin's rivers and lakes is managed by the U.S. Bureau of Reclamation, and its losses are documented. Pumping from underground aquifers is regulated by individual states and is often not well documented.

"There's only one way to put together a very large-area study like this, and that is with satellites," said senior author Jay Famiglietti, senior water cycle scientist at JPL on leave from UC Irvine, where he is an Earth system science professor. "There's just not enough information available from well data to put together a consistent, basin-wide picture."

Famiglietti said GRACE is like having a giant scale in the sky. Within a given region, the change in mass due to rising or falling water reserves influences the strength of the local gravitational attraction. By periodically measuring gravity regionally, GRACE reveals how much a region's water storage changes over time.

The Colorado River is the only major river in the southwest part of the United States. Its basin supplies water to about 40 million people in seven states, and irrigates roughly four million acres of farmland.

"The Colorado River Basin is the water lifeline of the western United States," said Famiglietti. "With Lake Mead at its lowest level ever, we wanted to explore whether the basin, like most other regions around the world, was relying on groundwater to make up for the limited surface-water supply. We found a surprisingly high and long-term reliance on groundwater to bridge the gap between supply and demand."

Famiglietti noted that the rapid depletion rate will compound the problem of short supply by leading to further declines in streamflow in the Colorado River.

"Combined with declining snowpack and population growth, this will likely threaten the long-term ability of the basin to meet its water allocation commitments to the seven basin states and to Mexico," Famiglietti said.

The study has been accepted for publication in the journal Geophysical Research Letters, which posted the manuscript online July 24. Coauthors included other scientists from NASA's Goddard Space Flight Center, Greenbelt, Maryland, and the National Center for Atmospheric Research, Boulder, Colorado. The research was funded by NASA and the University of California.

To read the full study, visit:

http://onlinelibrary.wiley.com/doi/10.1002/2014GL061055/abs tract

For more information on NASA's GRACE satellite mission, see:

http://www.nasa.gov/grace

and

http://www.csr.utexas.edu/grace

GRACE is a joint mission with the German Aerospace Center and the German Research Center for Geosciences, in partnership with the University of Texas at Austin. JPL developed the GRACE spacecraft and manages the mission for NASA's Science Mission Directorate, Washington. NASA monitors Earth's vital signs from land, air and space with a fleet of satellites and ambitious airborne and ground-based observation campaigns. NASA develops new ways to observe and study Earth's interconnected natural systems with long-term data records and computer analysis tools to better see how our planet is changing. The agency shares this unique knowledge with the global community and works with institutions in the United States and around the world that contribute to understanding and protecting our home planet.

To learn more about NASA's Earth science activities in 2014, visit:

http://www.nasa.gov/earthrightnow

Media Contact

Alan Buis Jet Propulsion Laboratory, Pasadena, Calif. 818-354-0474 Alan.Buis@jpl.nasa.gov

Steve Cole Headquarters, Washington 202-358-0918 stephen.e.cole@nasa.gov

Janet Wilson University of California, Irvine 949-824-3969 janet.wilson@uci.edu

Written by Carol Rasmussen
NASA Earth Science News Team

2014-241



MISSIONS Same a contraction. MULTIMEDIA Caston Contract Milija (V) berole

CONNECT Logis media marries 6 ABOUT NASA ะ ผสมัยกรถ ระเอารูป และคอก Sudgot on core & more

Search

Share

novacionalism i for Storagion i film webs

Text Size

7

27

Grace Mission

Mission Overview Multimedia News & Media Resources Spacecraft & Instruments Launch

All NASA Missions

Mission Overview

February 15, 2012

The GRACE mission was selected as the second mission under the NASA Earth System Science Pathfinder (ESSP) Program in May 1997, Launched in March of 2002, the GRACE mission is accurately mapping variations in Earth's gravity field. Designed for a nominal mission lifetime of five years, GRACE is currently operating in an extended mission phase, which is expected to continue through at least 2015.

GRACE consists of two identical spacecraft that fly about 220 kilometers (137 miles) apart in a polar orbit 500 kilometers (310 miles) above Earth. GRACE maps Earth's gravity field by making accurate measurements of the distance between the two satellites, using GPS and a microwave ranging system. It is providing scientists from all over the world with an efficient and costeffective way to map Earth's gravity field with unprecedented accuracy. The results from this mission are yielding crucial information about the distribution and flow of mass within Earth and its surroundings.

The gravity variations studied by GRACE include: changes due to surface and deep currents in the ocean; runoff and ground water storage on land masses; exchanges between ice sheets or glaciers and the ocean; and variations of mass within Earth. Another goal of the mission is to create a better profile of Earth's atmosphere. GRACE results are making a huge contribution to the goals of NASA's Science Mission Directorate, Earth Observation System (EOS) and global climate change studies.

GRACE is a joint partnership between the National Aeronautics and Space Administration (NASA) in the United States and Deutsche Forschungsanstalt für Luft und Raumfahrt (DLR) in Germany. Dr. Byron Tapley of The University of Texas Center for Space Research (UTCSR) is the Principal Investigator (PI), and Frank Flechtner of the GeoForschungsZentrum (GFZ) Potsdam is the Co-Principal Investigator (Co-PI). Project management and systems engineering activities are carried out by the Jet Propulsion Laboratory.

Back To Top



Pagetica Utyrus i segum 2014 ಕಸ್ಟ್ ಕ್ಷಾಕ್ರಾಗಿ ಗಿರ್ಧಾಟಕಾಗಿತ್ತು NAŠA MOT BUSE DROM

- a NASA Internation of the Actionly A Stallychard to Robbessianning, at 1984
- r dadge of Shaketin Plans and
- er in pre-steurch source (anch Postuce and Investores
- * Figure 1 diministración Ac
- a America Morre Accessorate
- R NASA AGUST I JOGUDEN
- z Bert Lucik Sakor Mecik 1-11 12
- e lasy scalar Manuscript right
- ा अधिकृष्ट् कर या है जा प्रत्या कर कर है।
- A RAA O EUROLI I

- USA year
- is Open devembers at
- > lieus and ≃ erel/erkles